

MR-GLASS

Doors & Windows Manufacturing, LLC.



We are a company with 30 years of combined experience. Through such experience, we've learned that the best opportunity for growth, as a leading company, lies in the use of first-rate products, superior service, and customer satisfaction. Our goal consists of responding and providing service in a timely and courteous manner.

We take pride in the distinct quality of our craftsmanship and use only the best materials in the fabrication of our products. Our commitment is to our clients, products, and services. Through meticulous work and first-rate quality products, we manage to ensure our customers of our standing as an insuperable manufacturing company.

MR-GLASS Doors & Windows Manufacturing, LLC.

Impact Doors / Non-Impact Doors / Impact Storefronts / Non-Impact Storefronts / Impact Curtain
Wall System / Glass Railing / Single Hung Windows / Horizontal Rollers / Sliding Glass Doors / French Doors



sales@mrglasswindows.com • www.mrglasswindows.com
8120 NW 84th Street, Medley, FL 33166 • Ph: 305.470.8284 Fax: 305.470.8285

SERIES MG-200

Impact Resistant Single Hung



Description

- Impact resistant single hung windows
- Frame profile is 2 7/8
- Design for residential, midrise and highrise applications
- Design loads (+80/-140 PSF)

Frame

- White, Bronze, Clear Anodized and Kynar finish
- Woodgrain Colors Available

Glass

- 7/16
- 5/16
- laminated & insulated
- low-e coatings

Benefits

- No screws at the bottom up to +/- 80 PSF
- Friendly installation

Features

- Maximum size 53 1/8x96"
- Equal Lites
- Proview

Florida Product Approval LMI FA: FL # 20352.1 SMI FL # 20352.2



CAD Drawings available online at www.MrGlassWindows.com



sales@mrglasswindows.com • www.mrglasswindows.com
8120 NW 84th Street, Medley, FL 33166 • Ph: 305.470.8284 Fax: 305.470.8285

SERIES MG-275

Non-Impact Commercial Door



Description

- Aluminum profile is 1 3/4" x 4 1/2", door leaf profile is 1 3/4"
- Stainless steel assembly screws to avoid future corrosion
- Design loads +65.00, -75.00 PSF for single door or double door
- Maximum size for single door is 39 5/8" x 97 5/8", transom up to 120"
- Maximum size for double door is 75 5/8" x 97 5/8", transom up to 120"

Frame

- Clear anodized, bronze anodized and white.
- Custom finish available upon request.

Glass

- 3/16" tempered glass

Features

- Corners are reinforced with aluminum brackets
- Covered anchors
- Variety of accessories including three point lock, concealed rod panic devices, push-pull tubular handles, overhead concealed or surface mounted closers, pivots and butt hinges
- Tested with panic hardware models from Regent and Jackson
- Out swing motion
- ADA threshold

Benefits

- Decrease installation time
- Compatible with Series MG-4500 Non-Impact Storefront System
- Anchors are not visible, improving aesthetics



Dade County Notice of Acceptance (N.O.A) #16-1116.05

CAD Drawings available online at www.MrGlassWindows.com



sales@mrglasswindows.com • www.mrglasswindows.com

8120 NW 84th Street, Medley, FL 33166 • Ph: 305.470.8284 Fax: 305.470.8285

